

Sacroiliac Pain Rehabilitation Exercises

These exercises are designed to gently move your sacroiliac joint. Do not do these exercises if they cause any pain or discomfort. If your pain continues see your healthcare provider or physical therapist as soon as possible.

- Hamstring stretch on wall: Lie on your back with your buttocks close to a doorway, and extend your legs straight out in front of you along the floor. Raise one leg and rest it against the wall next to the door frame. Your other leg should extend through the doorway. You should feel a stretch in the back of your thigh. Hold this position for 15 to 30 seconds. Repeat 3 times and then switch legs and do the exercise again.
- Quadriceps stretch: Stand an arm's length away from the wall with your injured leg farthest from the wall. Facing straight ahead, brace yourself by keeping one hand against the wall. With your other hand, grasp the ankle of your injured leg and pull your heel toward your buttocks. Don't arch or twist your back. Keep your knees together. Hold this stretch for 15 to 30 seconds.
- **Hip adductor stretch:** Lie on your back, bend your knees, and put your feet flat on the floor. Gently spread your knees apart, stretching the muscles on the inside of your thigh. Hold this for 15 to 30 seconds. Repeat 3 times.
- **Isometric hip adduction:** Sit with your knees bent 90° with a pillow placed between your knees and your feet flat on the floor. Squeeze the pillow for 5 seconds and then relax. Do 3 sets of 10.
- **Gluteal Sets:** Lie on your stomach with your legs straight out behind you. Squeeze your buttock muscles together and hold for 5 seconds. Release. Do 3 sets of 10.
- Lower trunk rotation: Lie on your back with your knees bent and your feet flat on the floor. Tighten your abdominal muscles and push your lower back into the floor. Keeping your shoulders down flat, gently rotate your legs to one side, then to the other side as far as you can. Repeat 10 to 20 times.
- Single knee to chest stretch: Lie on your back with your legs straight out in front of you. Bring one knee up to your chest and grasp the back of your thigh. Pull your knee toward your chest, stretching your buttock muscle. Hold this position for 15 to 30 seconds and return to the starting position. Repeat 3 times on each side.
- 281-256-8685
- 281-256-8879
- info@HealthZoneMD.com
- 607 Park Grove Drive Suite A, Katy, TX 77450



• **Double knee to chest:** Lie on your back with your knees bent and your feet flat on the floor. Tighten your abdominal muscles and push your lower back into the floor. Pull both knees up to your chest. Hold for 5 seconds and repeat 10 to 20 times.

Developed by RelayHealth.
Published by RelayHealth.
© 2009 RelayHealth and/or its affiliates. All Rights Reserved.

- **281-256-8685**
- **4** 281-256-8879
- info@HealthZoneMD.com
- 0 607 Park Grove Drive Suite A, Katy, TX 77450



Sacroiliac Pain Rehabilitation Exercises



Hamstring stretch on wall



Quadriceps stretch



Hip adductor stretch



Isometric hip adduction



Gluteal sets



Lower trunk rotation



Single knee to chest stretch



Double knee to chest