

Biceps Tendonitis Rehabilitation Exercises

- **Active elbow flexion and extension:** Gently bring your palm up toward your shoulder and bend your elbow as far as you can. Then straighten your elbow as far as you can 10 times. Do 3 sets of 10.
- **Biceps stretch:** Stand facing a wall (about 6 inches away from the wall). Raise your arm out to your side and place the thumb side of your hand against the wall (palm down). Keep your elbow straight. Rotate your body in the opposite direction of the raised arm until you feel a stretch in your biceps. Hold 15 seconds, repeat 3 times.
- **Biceps curls:** Stand and hold some kind of weight (soup can or hammer) in your hand. Bend your elbow and bring your hand (palm up) toward your shoulder. Hold 5 seconds. Slowly return to your starting position and straighten your elbow. Do 3 sets of 10.
- **Single-arm shoulder flexion:** Stand with one arm hanging down at your side. Keeping your elbow straight, bring your arm forward and up toward the ceiling. Hold this position for 5 seconds. Do 3 sets of 10. As this exercise becomes easier, add a weight.
- **Resisted shoulder internal rotation:** Holding tubing connected to a door knob at waist level, keep your elbow in at your side and rotate your arm inward across your body. Make sure you keep your forearm parallel to the floor. Do 3 sets of 10.
- **Resisted shoulder external rotation:** Stand sideways next to a door. Rest the hand farthest away from the door across your stomach. With that hand grasp tubing that is connected to a doorknob at waist level. Keeping your elbow in at your side, rotate your arm outward and away from your waist. Make sure you keep your elbow bent 90 degrees and your forearm parallel to the floor. Repeat 10 times. Build up to 3 sets of 10.
- **Side-lying external rotation:** Lie on your one side with your top arm at your side and your elbow bent to 90°. Keep your elbow against your side, raise your forearm and hold for 2 seconds. Slowly lower your arm. Do 3 sets of 10. You can start doing this exercise holding a soup can or light weight and gradually increase the weight as long as there is no pain.

Written by Tammy White, MS, PT, and Phyllis Clapis, PT, DHSc, OCS, for RelayHealth.
Published by RelayHealth.




© 2009 RelayHealth and/or its affiliates. All Rights Reserved.

-  281-256-8685
-  281-256-8879
-  info@HealthZoneMD.com
-  607 Park Grove Drive Suite A, Katy, TX 77450


Biceps Tendon Injury Rehabilitation Exercises



Active elbow flexion and extension



Biceps stretch



Biceps curls

Single-arm shoulder flexion



Resisted shoulder internal rotation



Side-lying external rotation



Resisted shoulder external rotation