

Shoulder Bursitis Rehabilitation Exercises

You may do these exercises when your pain has improved.

- **Scapular active range of motion:** Stand and shrug your shoulders up and hold for 5 seconds. Then squeeze your shoulder blades back and together and hold 5 seconds. Next, pull your shoulder blades downward as if putting them in your back pocket. Relax. Repeat this sequence 10 times.
- **Wand exercise: Flexion:** Stand upright and hold a stick in both hands, palms down. Stretch your arms by lifting them over your head, keeping your elbows straight. Hold for 5 seconds and return to the starting position. Repeat 10 times.
- **Wand exercise: Extension:** Stand upright and hold a stick in both hands behind your back. Move the stick away from your back. Hold the end position for 5 seconds. Relax and return to the starting position. Repeat 10 times.
- **Wand exercise: External rotation:** Lie on your back and hold a stick in both hands, palms up. Your upper arms should be resting on the floor, your elbows at your sides and bent 90°. Using one arm, push your other arm out away from your body while keeping the elbow of the arm being pushed at your side. Hold the stretch for 5 seconds. Repeat 10 times.
- **Isometric shoulder external rotation:** Standing in a doorway with your elbow bent 90° and the back of your wrist pressing against the door frame, try to press your hand outward into the door frame. Hold for 5 seconds. Do 3 sets of 10.
- **Isometric shoulder internal rotation:** Standing in a doorway with your elbow bent 90° and the front of your wrist pressing against the door frame, try to press your palm into the door frame. Hold for 5 seconds. Do 3 sets of 10.
- **Resisted shoulder external rotation:** Stand sideways next to a door. Rest the hand farthest away from the door across your stomach. With that hand grasp tubing that is connected to a doorknob at waist level. Keeping your elbow in at your side, rotate your arm outward and away from your waist. Make sure you keep your elbow bent 90 degrees and your forearm parallel to the floor. Repeat 10 times. Build up to 3 sets of 10.
- **Scaption:** Stand with your arms at your sides and with your elbows straight. Slowly raise your arms to eye level. As you raise your arms, they should be spread apart so that



281-256-8685



281-256-8879



info@HealthZoneMD.com



607 Park Grove Drive Suite A, Katy, TX 77450



they are only slightly in front of your body (at about a 30 degree angle to the front of your body). Point your thumbs toward the ceiling. Hold for 2 seconds and lower your arms slowly. Do 3 sets of 10. Hold a soup can or light weight when doing the exercise and increase the weight as the exercise gets easier.

Written by Tammy White, MS, PT, and Phyllis Clapis, PT, DHSc, OCS, for RelayHealth.

Published by RelayHealth.

© 2009 RelayHealth and/or its affiliates. All Rights Reserved.



281-256-8685



281-256-8879



info@HealthZoneMD.com



607 Park Grove Drive Suite A, Katy, TX 77450

Shoulder Bursitis Rehabilitation Exercises



Scapular active range of motion



Wand exercise: Flexion



Wand exercise: Extension



Wand exercise: External rotation



Isometric shoulder external rotation



Isometric shoulder internal rotation



Resisted shoulder external rotation



Scaption